Notebook, N-05-07-00



	1 Trace Co No Ni -
.2 Co	2 3 times stronger than Ludwig No Ni
.7 Co	3 No Ni or Co -
	4 Ten Times strength of Ludwig - probably stronger
	5 1/3rd stronger than Ludwig
.2 Co	6 Co - 3 times stronger than Ludwig
.2 Co	7 Three times " "
.19 Co	8 2 3/3rd times " "
	9 No Co or Ni
.04 Co	10 6 2/3rd stronger than Ludwig
.15 Co	11 2 2/3 times stronger than Ludwig
	12 Pyrites quick quite strong in Ammon sol -
	13 Weak in Co No Ni

14 Two times stronger than Ludwig

15 3 2/3rds stronger "

16 Weak in Co No Ni

17 No Co or Ni -

18 1 times stronger than Ludwig

19 Little Co no Ni

20 No Co or Ni

21 5 1/3 stronger than Ludwig has Copper No Ni No Pt.

22 No Co or Ni No Pt

23 Copper No Co or Ni No Pt

24 No Co or Ni. No Pt

25 No Co or Ni - No Pt

26 1/3 times stronger than Ludwig No Pt

11

27 1/4 as strong as Ludwig – No Pt.

28 No Co & Ni No Pt.

29 No Co or Ni

30 No Co or Ni – Copper – white residue in acid sol. No Pt.

31 No Co or Ni No Pt.

32 No Co or Ni No Pt.

33 Trace of Co No Ni – Gray residue in Acid solution No Pt.

34 No Co or Ni – Yellow residue in Acid solution No Pt.

35 Trace of Co No Ni No Pt.

36 3½ times stronger than Ludwig – Very light pink in ammonia sol. Black Residue in acid sol. No Pt.

37 Copper no Co or Ni – yellow residue in acid solution No Pt.

38 Very Weak Co – some copper – No Ni – Black residue in acid solution No Pt

39 Co ⅔ stronger than Ludwig – No Ni – Black residue in acid solution No Pt